


PRACTICE TEST, pages 154–156

1. **Multiple Choice** Which graph represents $y = \sqrt{-0.5x - 2}$?



2. **Multiple Choice** Which statement about the graph of

$$y = \frac{x^2 - 5x + 6}{x - 3}$$

- A. There is a vertical asymptote with equation $y = 3$.
 B. There is an oblique asymptote with equation $y = x - 2$.
 C. There is a horizontal asymptote with equation $x = 2$.
 D. There is a hole at $(3, 1)$.

3. Without using graphing technology, graph the function

$$y = \frac{x^2 + 3x + 2}{x^2 - x - 2}$$

Identify any non-permissible values of x , the equations of any asymptotes, and the domain.

Factor: $y = \frac{(x + 1)(x + 2)}{(x + 1)(x - 2)}$

There is a common factor $(x + 1)$, so there is a hole at: $x = -1$

There is a vertical asymptote with equation $x = 2$.

The function is: $y = \frac{x + 2}{x - 2}, x \neq -1$

The y -coordinate of the hole is: $y = -\frac{1}{3}$

There is a horizontal asymptote. Both the leading coefficients are 1, so the horizontal asymptote has equation $y = 1$.

Choose other points and those close to the asymptotes:


x	4	6	1.99	2.01	-100	100
y	3	2	-399	401	0.96	1.04

Some of the y -values above are approximate.


The y -intercept is -1 . The x -intercept is -2 .

Plot points at the intercepts. Draw an open circle at the hole. Draw broken lines for the asymptotes, then sketch 2 smooth curves.

The domain is: $x \neq -1, x \neq 2$



4. a) The graph of $y = f(x)$ is given. On the same grid, sketch the graph of $y = \sqrt{f(x)}$.



Mark points where $y = 0$ or $y = 1$.

$y = \sqrt{f(x)}$ is not defined for $x < -2$ or $x > 6$.

Choose, then mark another point for $-2 \leq x \leq 6$.

x	$y = f(x)$	$y = \sqrt{f(x)}$
2	4	2

Join the points with a smooth curve.

- b) Identify the domain and range of each function in part a, then explain why the domains are different and the ranges are different.

For $y = f(x)$, domain is: $x \in \mathbb{R}$; range is: $y \leq 4$

For $y = \sqrt{f(x)}$, domain is: $-2 \leq x \leq 6$; range is: $0 \leq y \leq 2$

The domains are different because $y = f(x)$ is defined for all real values of x while $y = \sqrt{f(x)}$ is only defined for values of x for which $f(x) \geq 0$.

The ranges are different because $f(x)$ can have any value less than or equal to 4, while $\sqrt{f(x)}$ can only be 0 or positive.

5. Use graphing technology to solve each equation. Give the solution to the nearest tenth.

a) $x - 5 = \sqrt{2x + 1}$

Graph a related function:

$$f(x) = x - 5 - \sqrt{2x + 1}$$

Use graphing technology to determine the zero: $x \doteq 9.5$

b) $\frac{x - 2}{2x + 1} + 2 = \frac{x + 1}{x + 3}$

Graph a related function:

$$f(x) = \frac{x - 2}{2x + 1} + 2 - \frac{x + 1}{x + 3}$$


Use graphing technology to

determine the zeros:


$$x \doteq -4.1 \text{ or } x \doteq 0.1$$

6. Without using graphing technology, match each function to its graph. Justify your choice.


i) Graph A




ii) Graph B



iii) Graph C



iv) Graph D



a) $y = \frac{x + 1}{x^2 - 4}$

The function is undefined when $x^2 - 4 = 0$; that is, when $x = \pm 2$. There are no common factors so the graph has vertical asymptotes at $x = \pm 2$.
The function matches Graph A.

b) $y = \frac{x^2 - 3x - 4}{x - 1}$

Factor: $y = \frac{(x - 4)(x + 1)}{x - 1}$
There are no common factors, so there is a vertical asymptote at $x = 1$. Since the degree of the numerator is 1 more than the degree of the denominator, there is an oblique asymptote.
The function matches Graph D.

c) $y = \frac{x^2 - 3x - 4}{x + 1}$

Factor: $y = \frac{(x - 4)(x + 1)}{x + 1}$
 $(x + 1)$ is a common factor, so there is a hole at $x = -1$. The function matches Graph B.

d) $y = \frac{x^3 - 4}{x + 1}$

The function is undefined when $x = -1$. There are no common factors, so there is a vertical asymptote at $x = -1$.
The function matches Graph C.