

## Lesson 6.6 Exercises, pages 534–539

### A

3. Identify the transformations that would be applied to the graph of  $y = \sin x$  to get the graph of  $y = 10 \sin \frac{1}{3}(x - \pi) + 1$ .

Compare  $y = 10 \sin \frac{1}{3}(x - \pi) + 1$  with  $y = a \sin b(x - c) + d$ :


$a = 10$ , so the graph of  $y = \sin x$  is stretched vertically by a factor of 10.

$b = \frac{1}{3}$ , so the graph of  $y = \sin x$  is stretched horizontally by a factor of 3.

$c = \pi$ , so the graph of  $y = \sin x$  is translated  $\pi$  units right.

$d = 1$ , so the graph of  $y = \sin x$  is translated 1 unit up.

4. Identify the following characteristics of the graph below: amplitude; period; phase shift; equation of the centre line; zeros; domain; maximum value; minimum value; range



The amplitude is 2. The period is  $4\pi$ . The phase shift is  $\frac{\pi}{6}$ . The equation of the centre line is  $y = 0$ . The zeros are  $-\frac{11\pi}{6}$  and  $\frac{\pi}{6}$ . The graph is shown on domain  $-2\pi \leq x \leq 2\pi$ . The maximum value is 2. The minimum value is  $-2$ . The range is  $-2 \leq y \leq 2$ .

## B

5. Use the given data to write an equation for each function.

- a) a sine function with: amplitude 5; period  $3\pi$ ; equation of centre line  $y = -2$ ; and phase shift  $\frac{\pi}{3}$

Use:  $y = a \sin b(x - c) + d$

Since the period =  $\frac{2\pi}{b}$ , then  $b = \frac{2\pi}{3\pi}$ , or  $\frac{2}{3}$

In  $y = a \sin b(x - c) + d$ , substitute:  $a = 5$ ,  $b = \frac{2}{3}$ ,  $c = \frac{\pi}{3}$ ,  $d = -2$

An equation is:  $y = 5 \sin \frac{2}{3}\left(x - \frac{\pi}{3}\right) - 2$

- b) a cosine function with: maximum value 5; minimum value  $-2$ ; period  $\pi$ ; and phase shift  $-\frac{\pi}{4}$

Use:  $y = a \cos b(x - c) + d$

From the maximum and minimum values,  $a = \frac{5 - (-2)}{2}$ , or 3.5


From the period,  $b = \frac{2\pi}{\pi}$ , or 2

From the maximum value and the amplitude,  $d = 5 - 3.5$ , or 1.5

In  $y = a \cos b(x - c) + d$ , substitute:  $a = 3.5$ ,  $b = 2$ ,  $c = -\frac{\pi}{4}$ ,  $d = 1.5$


An equation is:  $y = 3.5 \cos 2\left(x + \frac{\pi}{4}\right) + 1.5$

6. Determine a possible equation for each function graphed below.




Sample response: The graph is the image of  $y = \sin x$  after a vertical compression by a factor of  $\frac{1}{2}$ .


An equation is:  $y = \frac{1}{2} \sin x$



Sample response:  
The graph is the image of  $y = \cos x$  after a vertical translation of 2 units down.  
An equation is:  $y = \cos x - 2$




Sample response:  
The graph is the image of  $y = \cos x$  after a horizontal compression by a factor of  $\frac{1}{4}$ .  
An equation is:  $y = \cos 4x$



Sample response:  
The graph is the image of  $y = \cos x$  after a horizontal translation of  $\frac{\pi}{3}$  units right.  
An equation is:  $y = \cos\left(x - \frac{\pi}{3}\right)$

7. a) For the function graphed below, identify the values of  $a$ ,  $b$ ,  $c$ , and  $d$  in  $y = a \sin b(x - c) + d$ , then write an equation for the function.



Sample response: The equation of the centre line is  $y = 4$ , so the vertical translation is 4 units up and  $d = 4$ .

The amplitude is:  $\frac{6 - 2}{2} = 2$ , so  $a = 2$

Choose the  $x$ -coordinates of two adjacent maximum points, such as  $\frac{\pi}{6}$  and  $\frac{5\pi}{6}$ . The period is:  $\frac{5\pi}{6} - \frac{\pi}{6} = \frac{2\pi}{3}$


So,  $b$  is:  $\frac{2\pi}{\frac{2\pi}{3}} = 3$

The sine function begins its cycle at  $x = 0$ ; so the phase shift is 0, and  $c = 0$ .

Substitute for  $a$ ,  $b$ ,  $c$ , and  $d$  in:  $y = a \sin b(x - c) + d$

An equation is:  $y = 2 \sin 3x + 4$

- b) For the function graphed below, identify the values of  $a$ ,  $b$ ,  $c$ , and  $d$  in  $y = a \cos b(x - c) + d$ , then write an equation for the function.



Sample response: The equation of the centre line is  $y = -1$ , so the vertical translation is 1 unit down and  $d = -1$ .

The amplitude is:  $\frac{-0.5 - (-1.5)}{2} = 0.5$ , so  $a = \frac{1}{2}$

Choose the  $x$ -coordinates of two adjacent maximum points, such as  $\frac{\pi}{8}$  and  $\frac{5\pi}{8}$ . The period is:  $\frac{5\pi}{8} - \frac{\pi}{8} = \frac{\pi}{2}$


So,  $b$  is:  $\frac{2\pi}{\frac{\pi}{2}} = 4$

To the right of the  $y$ -axis, the cosine function begins its cycle at  $x = \frac{\pi}{8}$ , so the phase shift is  $\frac{\pi}{8}$ , and  $c = \frac{\pi}{8}$ .

Substitute for  $a$ ,  $b$ ,  $c$ , and  $d$  in:  $y = a \cos b(x - c) + d$

An equation is:  $y = \frac{1}{2} \cos 4\left(x - \frac{\pi}{8}\right) - 1$

8. a) The graph of  $y = \sin x$  is shown below. On the same grid, sketch the graph of  $y = 2 \sin 3\left(x - \frac{\pi}{2}\right) + 3$ . Describe your strategy.




The graph of  $y = \sin x$  is: stretched vertically by a factor of 2, compressed horizontally by a factor of  $\frac{1}{3}$ , then translated  $\frac{\pi}{2}$  units right and 3 units up

I chose points on the graph of  $y = \sin x$ , applied the transformations to each point, then joined the image points.

- b) List the characteristics of the function  $y = 2 \sin 3\left(x - \frac{\pi}{2}\right) + 3$ .

The amplitude is 2; the period is  $\frac{2\pi}{3}$ ; the phase shift is  $\frac{\pi}{2}$ ; the domain is  $x \in \mathbb{R}$ ; the range is  $1 \leq y \leq 5$ ; there are no zeros.

9. a) The graph of  $y = \cos x$  is shown below. On the same grid, sketch the graph of  $y = \cos 4\left(x + \frac{\pi}{3}\right) - 2$ . Describe your strategy.



The graph of  $y = \cos x$  is: compressed horizontally by a factor of  $\frac{1}{4}$ , then translated  $\frac{\pi}{3}$  units left and 2 units down.


I first graphed  $y = \cos 4x$ , then chose points on this graph and applied the remaining transformations to each point. I continued the pattern of image points, then joined them.

- b) List the characteristics of the function  $y = \cos 4\left(x + \frac{\pi}{3}\right) - 2$ .

The amplitude is 1; the period is  $\frac{2\pi}{4} = \frac{\pi}{2}$ ; the phase shift is  $-\frac{\pi}{3}$ ; the domain is  $x \in \mathbb{R}$ ; the range is  $-3 \leq y \leq -1$ ; there are no zeros.


10. Sketch the graph of each function for the domain  $-2\pi \leq x \leq 2\pi$ .

a)  $y = 4 \sin \frac{1}{2}\left(x - \frac{\pi}{3}\right) - 3$



Sketch the graph of  $y = 4 \sin \frac{1}{2}x$ , then translate it  $\frac{\pi}{3}$  units right and 3 units down.


b)  $y = \frac{1}{3} \cos 2\left(x + \frac{\pi}{4}\right) + 1$



Sketch the graph of  $y = \frac{1}{3} \cos 2x$ , then translate it  $\frac{\pi}{4}$  units left and 1 unit up.

**C**

11. Use transformations to sketch the graph of  $y = -2 \sin\left(2x + \frac{\pi}{3}\right) - 2$  for  $-2\pi \leq x \leq 2\pi$ .



Write the function as  $y = -2 \sin 2\left(x + \frac{\pi}{6}\right) - 2$ .

Sketch the graph of  $y = 2 \sin 2x$ , reflect it in the  $x$ -axis to get the graph of  $y = -2 \sin 2x$ , then translate this graph  $\frac{\pi}{6}$  units left and 2 units down.